

F. E. KROCKA & ASSOCIATES, INC.
ENGINEERING AND SURVEYING

102 WEST MAIN STREET
SHELBY, OHIO 44875
PHONE: (419) 342-4556

APPROVED
ONTARIO PLANNING COMMISSION

DATE 10-17-94

SIGNATURE *Carl Miller*

RECEIVED

OCT 12 1994

ZONING INSPECTOR
VILLAGE OF ONTARIO, OHIO

DESCRIPTION
ROBERT H. & SONYA G. OHL
SOUTHWEST QUARTER, SECTION FIFTEEN (15)
TOWNSHIP TWENTY ONE (21), RANGE NINETEEN (19)
VILLAGE OF ONTARIO, SPRINGFIELD TOWNSHIP, RICHLAND COUNTY, OHIO

DESCRIPTION: Being part of the Southwest Quarter, Section Fifteen (15), Township Twenty-One (21), Range Nineteen (19), Village of Ontario, Springfield Township, Richland County, Ohio, and being more particularly described as follows:

Beginning for the same at a railroad spike found at the Northwest corner of the Southwest Quarter of Section Fifteen (15), also being a point in the centerline of Rock Road (C.H. 150); thence S 02°23'39" E, a distance of 470.09 feet along the west line of said southwest quarter and centerline of Rock Road to a railroad spike set at the real point of beginning of the parcel herein described;

1. thence N 87°36'21" E, a distance of 179.95 feet to an iron pin set;
2. thence N 02°23'39" W, a distance of 105.97 feet to an iron pin set;
3. thence N 88°53'24" E, a distance of 641.93 feet to an iron pin set;
4. thence S 01°06'36" E, a distance of 203.29 feet to an iron pin set;
5. thence N 90°00'00" W, a distance of 35.52 feet to an iron pin set;
6. thence S 66°36'21" W, a distance of 179.31 feet to an iron pin found at the Northeast corner of Lot 2432 as shown on the Plat of Ontario Pines No.1 Plat Volume 26 Page 68;
7. thence S 82°56'56" W, a distance of 85.63 feet along the north line of said Lot to an iron pin found at the northwest corner of Lot 2423 and the northeast corner of Lot 2422;
8. thence N 74°01'44" W, a distance of 383.47 feet along the north line of Lots 2422, 2421, 2420 and 2419 to an iron pin found at the northwest corner of Lot 2419 and the northeast corner of Lot 2418;
9. thence S 87°36'21" W, a distance of 165.00 feet along the north line of Lot 2418 to a railroad spike found in the centerline of Rock Road (west line of the southwest quarter, section 15);
10. thence N 02°23'39" W, a distance of 60.57 feet along said centerline and west line to the real point of beginning;


and containing 3.6822 Acres, more or less, but subject to all legal easements and public rights-of-way now on record. All pins set are 5/8" diameter, with caps stamped "Krocka & Assocs". Bearings are based on Plat Volume 26 Page 68.

CERTIFICATION: I hereby certify that a survey of the above parcel has been made and markers found or set as indicated.

F. E. KROCKA AND ASSOCIATES, INC.

Raymond G. Lenczowski

Raymond G. Lenczowski
Ohio Registered Ohio Surveyor # 6687
August 23, 1994



NEW SPLIT
TAX MAP APPROVED
EAL
INITIAL
10-17-94
DATE