



NORTH



Bearings are based on an assumed meridian and are intended to be used for angular determination only.



Part of Lot #1955

Part of Lot #1955

Part of Lot #1956

Surveyed for Transfer Part of Lot #1956 6748 Sq. Ft.

GRANT STREET
40' R/W

N 00°43'43" E
50.11'

S 89°24'48" E
134.67'

S 00°43'43" W
50.11'


N 89°24'48" W
134.67'

16' PUBLIC ALLEY

The Place of Beginning

LEGEND

- Iron Pin, found
- ⊠ 5/8" Iron Pin with cap stamped SEILER 6869", set



NEW SURVEY OF EXISTING PARCEL TAX MAP APPROVED

Douglas C. Seiler
DATE

N-41

SURVEY. PLAT FOR
PROPERTY TRANSFER

PART OF LOT #1956
CITY OF MANSFIELD
OHIO

DATE: OCT. 30, 2000 SCALE: 1"=30'

SURVEY BY: *Douglas C. Seiler* 10/30/00
DOUGLAS C. SEILER
PROFESSIONAL SURVEYOR #6869
52-1/2 NORTH MAIN STREET
MANSFIELD, OHIO 44902
(419) 525-3644

(419) 525-3696

Douglas C. Seiler

Professional Land Surveyor

52½ North Main • Mansfield, Ohio 44902

(419) 525-3644 • FAX (419) 525-3696

SURVEY DESCRIPTION

PART OF LOT #1956
CITY OF MANSFIELD, OHIO

Situated in the City of Mansfield, County of Richland, State of Ohio and being a part of Lot #1956 of the consecutively numbered lots in said city, more particularly described as follows:

Beginning for the same at an iron pin found and accepted as marking the southeast corner of said lot; Thence, North 89 degrees 24 minutes 48 seconds West with the south line of said lot, a distance of 134.67 feet to an iron pin found;


Thence, North 00 degrees 43 minutes 43 seconds East a distance of 50.11 feet to an iron pin set on the north line of said lot;

Thence, South 89 degrees 24 minutes 48 seconds East with said north line, a distance of 134.67 feet to an iron pin found and accepted as marking the northeast corner of said lot;

Thence, South 00 degrees 43 minutes 43 seconds West with the east line of said lot, a distance of 50.11 feet to the place of beginning, containing 6748 square feet, according to survey by Douglas C. Seiler, Professional Surveyor #6869 on October 27, 2000.

Iron pins set are 5/8" rods with caps stamped "SEILER 6869".

Bearings are based on an assumed meridian and are intended to be used for angular determination only.



Douglas C. Seiler
Professional Surveyor #6869

NEW SURVEY
OF EXISTING RECORD
TAX MAP / PARCEL

11-1-00

N-41