

N-210

PARAGON PARKWAY
PLAT VOLUME 26, PAGE 139

22768

PT. LT. 22771

22772

R.R. SPIKE FND.
N.E. CORNER, N.E. 1/4,
SEC. 9

EASEMENT FOR PIPELINES
TO COLUMBIA GAS OF OHIO
D.V. 587 P.96

N 88°15'25" E
774.27'

N 88°15'25" E 726.14'

HARRINGTON
MEMORIAL

S 00°36'15" E 1331.81'

The grantor, grantee and all subsequent owner
or assignees taking title from, under or through the
grantor or grantee agrees that any use or improve-
ment made on this land shall be in conformity with
all existing valid zoning, platting, health, or other
lawful rules and regulations."

APPROVED BY THE MANSFIELD CITY PLANNING COMMISSION;
NO PLAT REQUIRED.

SIGNED: *Howard L. Norris*
SECRETARY, CITY PLANNING COMMISSION

DATE: *March 8, 2001*

600.00'

N 00°36'15" W

10.000 ACRES

OHIO VALLEY MANF.
O.R.V. 829 P. 549

S 89°23'45" W 33.00'

600.00'

S 00°36'15" E

P.O.B.

S 88°15'25" W 726.14'

S 88°15'25" W 486.67'

KNIGHT PARKWAY 60' R/W

P.B.V. 27 P. 164

SAN. MH


SAN. MH

EASEMENT FOR SEWER LINES
TO CITY OF MANSFIELD.
D.V. 697 P.136

CITY OF MANSFIELD
O.R.V. 502 P. 90
91.679 Acres
P.P. No. 028-90-036-17-000

NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE
MR 3-15-01
INITIAL DATE

MIDWAY INC.
O.R.V. 821 P. 582



C1
R=40.00'
Δ=78°18'02"
L=54.66'
BRG=S 38°32'46" W
CHD=50.51'

C2
R=320.00'
Δ=47°32'25"
L=265.52'
BRG=S 53°55'35" W
CHD=257.96'

C3
R=260.00'
Δ=58°06'03"
L=263.65'
BRG=S 59°12'23" W
CHD=252.50'

N-210

Robert J. McAuley 6 March 2001
ROBERT J. MCAULEY DATE
RLS #7209

UTILITY STATEMENT

UTILITIES AFFECTING THE SITE
NOT SHOWN.



SCALE 1"=200'

LEGEND

- - 5/8" DIA. x 30" REBAR SET WITH PLASTIC CAP STAMPED "RICHLAND ENG. RLS 7209".
- ⊠ - SURVEY MARKER FOUND WITH CAP STAMPED "RICHLAND ENG. RLS 7209"
- - IRON PIN FOUND
- ◆ - RAILROAD SPIKE FOUND
- ⬢ - UTILITY MARKER POST
- G- - GAS MAIN VALVE AND GAS LINE

REL **RICHLAND ENGINEERING LIMITED**
29 N. PARK ST. MANSFIELD, OHIO

**SURVEY FOR THE
CITY OF MANSFIELD**

Situated in the City of Mansfield and being
a part of the N.E. and S.E. Quarters of Section
9, Township 21, Range 18, Richland County,
State of Ohio

BASES OF BEARING IS THE EAST LINE OF
THE NORTHEAST QUARTER OF SECTION 9 BEARING
BEING SOUTH 00°36'15" EAST AS CALLED FOR
IN PLAT BOOK VOLUME 26 PAGE 114.



RICHLAND ENGINEERING LIMITED

29 North Park Street, Mansfield, Ohio 44902-1769 • 419/524-0074 FAX 419/524-1812

100110

Description 10.000 Acre Parcel

Situated in the City of Mansfield, County of Richland and State of Ohio and being a part of the Northeast Quarter of Section 9, Township 21, Range 18 and being more particularly described as follows:

Commencing at a railroad spike found at the northeast corner of the Northeast Quarter of Section 9, said point also being on the centerline of Harrington Memorial Road;

Thence South 00°36'15" East along the east line of the Northeast Quarter of Section 9 and the centerline of Harrington Memorial Road, a distance of 1,331.81 feet to a railroad spike found;

Thence South 89°23'45" West a distance of 33.00 feet to a survey marker found on the west right of way line of Harrington Memorial Road;

Thence southwesterly along a curve to the right, along the north right of way line of Knight Parkway as recorded in Plat Book Volume 27, Page 164, having an arc length of 54.66 feet, a delta angle of 78°18'02", a radius of 40.00 feet, a chord bearing South 38°32'46" West and a chord distance of 50.51 feet to a survey marker found;

Thence southwesterly along a curve to the left along the north right of way of Knight Parkway, having an arc length of 265.52 feet, a delta angle of 47°32'25", a radius of 320.00 feet, a chord bearing South 53°55'35" West and a chord distance of 257.96 feet to a survey marker found;

Thence southwesterly along a curve to the right, along the north right of way line of Knight Parkway, having an arc length of 263.65 feet, a delta angle of 58°06'03", a radius of 260.00 feet, a chord bearing South 59°12'23" West and a chord distance of 252.50 feet to a survey marker found;

Thence South 88°15'25" West along the north right of way line of Knight Parkway, a distance of 486.67 feet to a survey marker found at the point of beginning of the parcel herein described;

Thence South 88°15'25" West along the north right of way line of said Knight Parkway, a distance of 726.14 feet to a survey marker found;

Thence North 00°36'15" West a distance of 600.00 feet to a survey marker set on the south line of Paragon Parkway as recorded in Plat Book Volume 26, Page 139;

N-210

Description 10.000 Acre Parcel (cont.)

Thence North 88° 15' 25" East along the south line of said Paragon Parkway a distance of 726.14 feet to a survey marker found;

Thence South 00°36'15" East along the west line of said Ohio Valley Manufacturing lands, a distance of 600.00 feet to the survey marker found at the southwest corner of said Ohio Valley Manufacturing lands, and the north right of way line of Knight Parkway said point being the point of beginning, containing 10.000 acres of land, more or less, subject to all highways, easements and use restrictions of record.

This description is based on an actual field survey. All bearings are based on the east line of the Northeast Quarter of Section 9 bearing being South 00°36'15" East as called for in Plat Book Volume 26, Page 114.

Survey markers set and found are 5/8" diameter by 30" long rebar with cap stamped Richland Eng. RLS 7209".


Prior Deed Reference: O.R.V. 502, P. 90

"The grantor, grantee and all subsequent owners or assignees taking title from, under or through the grantor or grantee agrees that any use or improvement made on this land shall be in conformity with all existing valid zoning, platting, health, or other lawful rules and regulations."

APPROVED BY THE MANSFIELD CITY PLANNING COMMISSION;
NO PLAT REQUIRED.

SIGNED: Howard S. Morris
SECRETARY, CITY PLANNING COMMISSION;
DATE March 8, 2001

Robert J. McAuley
Robert J. McAuley
RLS 7209



NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE
MM
3-15-01
DATE

over

N-210