

RAMSEY SURVEYING

Professional Land Surveying Services

283 Eby Road Shiloh, Ohio 44878 TEL (419) 512-2596 FAX (419) 522-0399 EMAIL nramsey@ramsey-surveying.com

LEGAL DESCRIPTION

June 15, 2023

Situated in the City of Mansfield, County of Richland, State of Ohio and being a part of the Northwest Quarter of Section 5 and a part of the Northeast Quarter of Section 6, Township 21 North, Range 18 West, being the remaining lands conveyed to Aspira, Inc. by official record volume 1581, page 461, being more particularly described as follows:

Beginning for the same at an iron pipe found and accepted as marking the southeast corner of Lot 16734, said iron pipe also marking the southwest corner of a parcel conveyed to Robert E. Barkett, Jr. & Melissa B. Barkett by official record volume 2832, page 668 and official record volume 2840, page 567;

Thence, the following **TWELVE** courses:

- 1. **South 85 degrees 40 minutes 54 seconds East, 231.06 feet** along the south line of said Barkett parcel to an iron pin found in the southeast corner thereof;
- 2. North 29 degrees 27 minutes 59 seconds West, 172.35 feet along an east line of said Barkett parcel to an iron pin found in the southwest corner of Lot 22593;
- 3. **North 64 degrees 46 minutes 34 seconds East, 131.77 feet** along the south line of said Lot 22593 to an iron pin found in the southeast corner thereof, said iron pin also being on the northwesterly corner of Lot 22596;
- 4. **South 42 degrees 25 minutes 55 seconds East, 394.07 feet** along the westerly line of said Lot 22596, the westerly line of Lot 22597 and the westerly line of Lot 22598 to an iron pin found in the southwesterly corner of said Lot 22598;
- 5. North 20 degrees 00 minutes 17 seconds East, 314.92 feet along the southeasterly line of said Lot 22598 and the northeasterly prolongation thereof to an iron pin found in the southerly corner of Lot 22599, said iron pin also being in the southwesterly corner of a parcel conveyed to the Cleveland Clinic Foundation by official record volume 2278, page 720;
- 6. **South 09 degrees 40 minutes 45 seconds East, 80.83 feet** along a southwesterly line of said Cleveland Clinic parcel to an iron pin found in an existing corner thereof;
- 7. **South 55 degrees 43 minutes 37 seconds East, 143.42 feet** continuing along a southwesterly line of said Cleveland Clinic parcel to an iron pin set in an existing corner thereof;
- 8. South 72 degrees 19 minutes 49 seconds East, 248.00 feet continuing along a southwesterly line of said Cleveland Clinic parcel to an iron pin found in an existing corner thereof, said iron pin also being in the southwest corner of Lot 23255;
- 9. North 82 degrees 43 minutes 36 seconds East, 80.07 feet along the south line of said Lot 23255 to an iron pin found in the northwest corner of a parcel conveyed to Triad Senior Living IV, LP by official record volume 1654, page 650;
- 10. **South 07 degrees 12 minutes 27 seconds East, 603.89 feet** along the west line of said Triad Senior Living parcel to a point in the southwest corner thereof, said point also being on the north line of a parcel conveyed to REA3 Asset, LLC. by official record volume 2995, page 5136, and passing through an iron pin found for reference at 601.89 feet;

- 11. **South 82 degrees 46 minutes 44 seconds West, 1160.83 feet** along the north line of sid REA3 Asset parcel and the north line of a parcel conveyed to Debra A. Moritz by official record volume 468, page 444 to a concrete monument found marking a northwest corner of said Moritz parcel, said monument also being on the east line of Ross Finney Allotment Block "D" as recorded in plat volume 21, page 35;
- 12. North 00 degrees 46 minutes 07 seconds West, 776.81 feet along the east line of said Ross Finney Allotment Block "D" to the Place of Beginning, containing a total of 18.9422 Acres, more or less, of which 12.8275 acres are located within said Northwest Quarter of Section 5 and 6.1147 acres are located within said Northeast Quarter of Section 6, and subject to all legal highways, leases, servitudes, use restrictions, and easements of record.

Bearings are based on an assumed meridian and are used to express angles only.

Iron pins set are 5/8" rebar with plastic cap stamped "Ramsey S-8396".

According to a survey made in June 2023 by Nathaniel B. Ramsey, Ohio Registered Professional Surveyor No. 8396.

Nathaniel B. Ramsey

Professional Surveyor No. 8396

For Ramsey Surveying SM-5848_Legal.docx

NEW SURVEY
OF EXISTING PARCEL
RICHLAND COUNTY
TAX MAP OFFICE

EAK 6-20-23

INITIAL & DATE

PP-148