

- SYMBOLS**
- △=POST FOUND
 - ⊙=STONE FOUND
 - ⊠=RAILROAD SPIKE FOUND
 - =IRON PIN FOUND
 - =RAILROAD SPIKE SET
 - =5/8" IRON PIN SET WITH CAP STAMPED LAUGHERY P.S. 6111
 - ⊗=PK NAIL SET
 - =EXISTING PROPERTY LINE
 - =CENTER LINE
 - - -=PROPOSED OR SUBJECT LINE
 - X X X X =FENCE LINE
 - T.M.P.=CURRENT TAX MAP PARCEL ID
 - (R), (M), (C)=RECORD, MEASURED, CALCULATED


BEARINGS ARE BASED ON AN ASSUMED MERIDIAN AND ARE FOR THE DETERMINATION OF ANGLES ONLY. DISTANCES ARE MEASURED UNLESS OTHERWISE STATED. ANGLES ARE IN DEG - MIN - SEC. DISTANCES ARE IN FEET



PLAT OF A SURVEY TO LOCATE AND DESCRIBE A PORTION OF A TRACT OF LAND CONVEYED TO ANDREW AND MARTHA SCHROCK BY DEED RECORDED IN OFFICIAL RECORDS VOLUME 0510, PAGE 0943.

I HEREBY CERTIFY THIS PLAT TO BE A TRUE DELINEATION OF A FIELD SURVEY IN JANUARY, 2004.

Ronald L. Laughery
 RONALD L. LAUGHERY
 REGISTERED SURVEYOR #6111



NEW SURVEY
 OF EXISTING PARCEL
 RICHLAND COUNTY
 TAX MAP OFFICE

MLB 1-16-04
 INITIAL DATE

LAUGHERY, INC.
ENGINEERING & SURVEYING
 967 US 42
 ASHLAND, OHIO 44805

NORTH 1/2, SECTION 29, T-25-N, R-17-W
 BUTLER TOWNSHIP
 RICHLAND COUNTY, OHIO

DRAWN BY RLL DATE 01/12/04 SCALE 1"=400'

S-223

LAUGHERY, INC.
ENGINEERING AND SURVEYING
967 US 42
ASHLAND, OHIO 44805

68.453 ACRES

The following parcel of land Situated in the State of Ohio, the County of Richland and the Township of Butler:

Being a portion of a parcel of land conveyed to Andrew and Martha Schrock by deed recorded in Official Records Volume 0510, Page 0943, and known as being a part of the northeast quarter of Section 29, T-25-N, R-17-W , and being more fully described as follows:

Beginning at a railroad spike found at the northwest corner of the northeast quarter of Section 29;

Thence South 88°-36'-55" East, along the north line of Section 29 and the center of County Road 84(Adario East Road), a distance of 1321.62 feet to a point at the northwest corner of a parcel of land conveyed to D.K. Greenawalt by deed recorded in Official Records Volume 0807, Page 0098, said point being referenced by an iron pin found South 00°-28'-05" West a distance of 27.00 feet;

Thence South 00°-28'-05" West, along the west line of said Greenawalt parcel, a distance of 2255.38 feet to an iron pin found on the north line of a parcel of land conveyed to David E. and Donna D. Eichelberger by deed recorded in Volume 824, Page 754 of the Richland County Record of Deeds;

Thence North 88°-30'-55" West, along the north line of said Eichelberger parcel, a distance of 1324.30 feet to an iron pin set on the west line of the northeast quarter of Section 29;

Thence North 00°-32'-07" East, along the west line of the northeast quarter of Section 29, a distance of 2253.03 feet to the place of beginning;

The tract of land as surveyed contains 68.453 acres of land subject to all legal highways and easements of record. All iron pins set are 5/8 inch rebar, 30 inches long with cap stamped "LAUGHERY- P.S. 6111".

The above description was prepared by Ronald L. Laughery, Registered Surveyor No. 6111, from notes of a field survey performed in January, 2004.

NEW SURVEY
OF EXISTING PARCEL
RICHLAND COUNTY
TAX MAP OFFICE

MLB 1-16-04
INITIAL DATE

223

LAUGHERY, INC.
ENGINEERING AND SURVEYING
967 US 42
ASHLAND, OHIO 44805

55.166 ACRES

The following parcel of land Situated in the State of Ohio, the County of Richland and the Township of Butler:

Being a portion of a parcel of land conveyed to Andrew and Martha Schrock by deed recorded in Official Records Volume 0510, Page 0943, and known as being a part of the northwest quarter of Section 29, T-25-N, R-17-W, and being more fully described as follows:

Beginning at a railroad spike found at the northeast corner of the northwest quarter of Section 29;

Thence South 00°-32'-07" West, along the east line of the northwest quarter, a distance of 1991.01 feet to an iron pin found at the northeast corner of a parcel of land conveyed to J. and E. Schrock by deed recorded in Official Records Volume 0590, Page 0140;

Thence North 88°-17'-52" West, along a north line of said Schrock parcel, a distance of 935.37 feet to an iron pin found;

Thence North 00°-58'-16" West, along an east line of said Schrock parcel, a distance of 88.66 feet to an iron pin found at the southeast corner of a parcel of land conveyed to L. and E. Hershberger by deed recorded in Official Records Volume 0825, Page 0019;

Thence North 02°-49'-10" East, along the east line of said Hershberger parcel, a distance of 534.25 feet to an iron pin found;

Thence South 88°-53'-39" West a distance of 419.97 feet to a point in the center of Township Road 79 (Town Line Road), said point being referenced by an iron pin found North 88°-53'-39" East a distance of 22.50 feet;

Thence North 00°-26'-39" East, along the center of Township Road 79 (Town Line Road), a distance of 1375.60 feet to a railroad spike found on the north line of Section 29 at the intersection of County Road 84(Adario East Road);

Thence South 88°-51'-45" East, along the north line of Section 29 and the center of County Road 84, a distance of 1338.27 feet to the place of beginning;

The tract of land as surveyed contains 55.166 acres of land subject to all legal highways and easements of record. All iron pins set are 5/8 inch rebar, 30 inches long with cap stamped "LAUGHERY- P.S. 6111".

The above description was prepared by Ronald L. Laughery, Registered Surveyor No. 6111, from notes of a field survey performed in January, 2004.

SURVEY
PARCEL
RICHMOND COUNTY
OFFICE
Mub 1-16-04
INITIAL DATE

S.223

S.223