


**SOUTHWEST QUARTER
SECTION 20 T-20 R-18
WASHINGTON TOWNSHIP
RICHLAND COUNTY, OHIO**



R. M. SAND
6.64 AC.
ORV 513 PG. 585

6.64 AC.

BASIS OF BEARINGS:
SURVEY INDEX I PG. 70




4.55 ACRES

F. & L. PERRY JR.
3.03 AC.
D. V. 768 PG. 404

(1.52 AC.)

F. & K. JOHNS
ORV 1485 PG. 368

(3.03 AC.)



1.50 ACRES

ADDRESS ASSIGNMENT
1086 VANDERBILT
NEW ADDRESS
1064 VANDERBILT RD
WASHINGTON Zoning Inspector Date

ADDRESS ASSIGNMENT
1064 VANDERBILT RD
NEW ADDRESS
WASHINGTON Zoning Inspector Date

NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE
MLB 5.20.05
INITIAL DATE

NEW SURVEY
OF EXISTING PARCEL
RICHLAND COUNTY
TAX MAP OFFICE
MLB 5.20.05
INITIAL DATE

S 2°00'44" E
660.09'

N 1°58'50" W
328.00'

E 2°01'22" E
328.00'

199.76'

200.00'

00.30'

S. LINE SEC. 20

C/I T. H. 328 (VANDERBILT ROAD)


WEST LINE SEC. 20

S. W. COR.
SEC. 20
EX. RRS
PER SURVEY INDEX "I"


LEGEND:

- - 5/8 INCH REBAR W/CAP
STAMPED "PS 7016" SET
- - EXISTING IRON PIN

Graphic Scale



STEVEN H. RIEDEL
OHIO SURVEYOR 7016
MARCH 31, 2005
RWA20SWA




This is to certify that the attached survey meets the 25' Road Frontage Requirement.

Washington zoning inspector
V. 25
11-21-05

V. 25

V-25



Riedel Land Surveying Company

712 N. Henry St.
Crestline, Ohio 44827

Phone (419) 683-1951

April 02, 2005

Gator (4.55 acres)

rwa20swb

Situated in the Township of Washington, County of Richland, State of Ohio and being part of the Southwest quarter of Section 20, Township 20, Range 18, and being more fully described as follows:

Commencing at an existing railroad spike at the Southwest corner of Section 20;

thence running North 87 deg. 21 min. 53 sec. East along the centerline of Township Highway 328 (Vanderbilt Road, also being the South line of Section 20) for 425.00 feet to the place of beginning;

thence turning and running North 02 deg. 01 min. 22 sec. West (passing a 5/8 inch rebar set at 30.00 feet) for a total distance of 328.00 feet to a 5/8 inch rebar set;

thence turning and running South 87 deg. 21 min. 50 sec. West for 199.52 feet to a 5/8 inch rebar set;

thence turning and running North 01 deg. 58 min. 50 sec. West for 331.27 feet to an existing iron pin;

thence turning and running North 87 deg. 11 min. 34 sec. East for 199.29 feet to an existing iron pin;

thence turning and running North 87 deg. 17 min. 56 sec. East for 200.12 feet to an existing iron pin;

thence turning and running South 02 deg. 00 min. 44 sec. East (passing an existing iron pin at 630.09 feet) for a total distance of 660.09 feet to the centerline of Township Highway 328;

thence turning and running South 87 deg. 21 min. 53 sec. West along said centerline for 200.00 feet to the place of beginning.

All 5/8 inch rebars set have a plastic cap stamped "PS 7016".

The above described parcel has a calculated area of 4.55 acres of land according to a survey made on March 31, 2005 by Steven H. Riedel, Ohio surveyor 7016.

Prior Deed: ORV 1485 page 368

Basis of Bearings: Survey Index I page 70

ADDRESS ASSIGNED


NEW ADDRESS
 PRESENT ADDRESS

John C. Goshawk 4/2/05

1004 Vanderbilt


NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE

MB 5-2-05
INITIAL DATE



This is to certify that the attached survey meets the 25' Road Frontage Requirement.

John C. Goshawk 4/2/05
Zoning Inspector, Washington Township DATE



Riedel Land Surveying Company

712 N. Henry St.
Crestline, Ohio 44827

Phone (419) 683-1951

April 14, 2005
Gator (1.50 acres)
rwa20swa

Situated in the Township of Washington, County of Richland, State of Ohio and being part of the Southwest quarter of Section 20, Township 20, Range 18, and being more fully described as follows:

Commencing at an existing railroad spike at the Southwest corner of Section 20;

thence running North 87 deg. 21 min. 53 sec. East along the centerline of Township Highway 328 (Vanderbilt Road, also being the South line of Section 20) for 225.24 feet to the place of beginning;

thence turning and running North 01 deg. 58 min. 50 sec. West (passing an existing iron pin at 29.80 feet) for a total distance of 328.00 feet to a 5/8 inch rebar set;

thence turning and running North 87 deg. 21 min. 50 sec. East for 199.52 feet to a 5/8 inch rebar set;

thence turning and running South 02 deg. 01 min. 22 sec. East (passing a 5/8 inch rebar set at 298.00 feet) for a total distance of 328.00 feet to the centerline of Township Highway 328;

thence turning and running South 87 deg. 21 min. 53 sec. West along said centerline for 199.76 feet to the place of beginning.

All 5/8 inch rebars set have a plastic cap stamped "PS 7016".

The above described parcel has a calculated area of 1.50 acres of land according to survey made on March 31, 2005 by Steven H. Riedel, Ohio surveyor 7016.

Prior Deed: ORV 1485 page 368
Basis of Bearings: Survey Index I page 70


NEW SURVEY
OF EXISTING PARCEL
RICHLAND COUNTY
TAX MAP OFFICE

MLB 5/2/05
INITIAL DATE

1086 Vanovercast Rd
ADDRESS ASSIGNMENT

NEW ADDRESS
 PRESENT ADDRESS

J. M. Riedel 4/14/05
Washington Zoning Inspector Date



APPROVED

This is to certify that the attached survey meets the _____ Road Frontage Requirement.

J. M. Riedel 4/14/05
Zoning Inspector Washington Township DATE

V-25

V 25