


SURVEY MARTHA FRALEY
 Pt. of NE 1/4 of Sec. 11 Twp. 20 Rng. 18
 Washington Twp., Richland Co., Ohio
Robert M. Little
 Robert M. Little
 Reg. Prof. Engr. # OH 5524
 May 10, 2008

NEW SURVEY
 OF EXISTING PARCEL
 RICHLAND COUNTY
 TAX MAP OFFICE
 MIB 5-20-08
 INITIAL DATE

- ◇ RR Spike fd.
- 5/8" I.P. set & capped "LITTLE 5524"
- I. P. fd.
- ▲ 2" Mag Nail set.
- △ P.K. nail fd.



2007

Robert M. Little

Surveyor and Engineer

67 Redwood Rd., Mansfield, OH 44907

Phone and Fax 419-756-5056

SURVEY FOR MARTHA FRALEY
PT. OF N.E. ¼ OF SEC. 35, TWP. 20, RNG. 18
TOWNSHIP OF WASHINGTON
COUNTY OF RICHLAND
STATE OF OHIO

Being part of the northeast quarter of Section 11, Twp. 20, Rng. 18, of the Township of Washington, County of Richland, and State of Ohio, and being further described as follows:

Commencing at a railroad spike, found, marking the northeast corner of said northeast quarter, at the intersection of centerlines of Washington North Rd. (C.H. 313), and Taylor Rd. (T.H. 317);

thence South $01^{\circ}16'45''$ West, a distance of 1065' to a P.K. nail, found, marking the northeast corner of lands conveyed to R. & J. Lemon in Official Record Volume 1724 Page 805, said course being with the east line of said quarter and the centerline of said Washington North Rd.;

thence South $88^{\circ}54'02''$ West, a distance of 244.92' to an Iron Pin, found, marking the northwest corner of said Lemon, and with the following Five courses being with northerly and westerly lines of lands conveyed to B. & B. Sizemore in Official Record Volume 1492 Page 26;

- 1) thence North $89^{\circ}44'36''$ West, a distance of 429.85' to an iron pin, found;
- 2) thence South $43^{\circ}45'00''$ West, a distance of 251.30' to an iron pin, found;
- 3) thence South $46^{\circ}15'00''$ East, a distance of 126.20' to an iron pin, found, marking the POINT OF BEGINNING of lands herein conveyed;
- 4) thence South $46^{\circ}50'52''$ East, a distance of 143.40' to an iron pin, found;
- 5) thence South $48^{\circ}52'35''$ West, a distance of 289.86' to a Magnail, set, in the centerline of Mansfield-Washington Rd.;

thence North $46^{\circ}15'00''$ West, a distance of 121.90' to a Magnail, set, said course being with said centerline of Mansfield-Washington Road; and with the following 2 courses being with the southeasterly line of lands conveyed to Weisenbarger in Official Record Volume 1684 Page 777;

2007

1) thence North49°19'18"East, passing a reference iron pin, set and capped, at a distance of 25.00', a total distance of 179.52' to an iron pin, found;


2) thence North36°54'38"East, a distance of 109.31' to the to the POINT OF BEGINNING;

said described tract containing 0.828 Acres, more or less, but subject to an easement for Mansfield-Washington Rd. and all other highways and easements of record.

Bearing Basis: Bearing of Mansfield-Washington Rd. North46°15'00"West according to Deed Volume 640 Page 498.



Robert M. Little
Reg. Prof. Surveyor # OH 5524
May 20, 2008



NEW SURVEY
OF EXISTING PARCEL
RICHLAND COUNTY
TAX MAP OFFICE

MLL INITIAL 5-20-08 DATE

2007