


Reference was made to the following material:
 Tax Map & Aerial Photo Sec. 11 & Shiloh Village, Surveys
 I~199; G~362; N~410; EE~151; F~4~215; C~365; F~1~315;
 H~372; I~443; F~1~278, Shiloh Maps Pg. 50~54; Pg. 60;
 Pg. 52, Historical Surveys Shiloh O.L. 1; Shiloh O.L. 27;
 Cass NE 1/4; Cass 11/8, Plats: T.B. Pettit's Add. to Shiloh,
 and John Brenneman's Add. to Shiloh.


LEGEND

- 5/8" dia. epoxy coated rebar set with a yellow plastic cap bearing the inscription "Jacques Glaze 6817."
- Iron Pipe Found
- Iron Pin Found
- Railroad Spike Found
- Magnetic Survey Spike Set, 3" length
- Locust Timber Post Found
- Stone Found



Shiloh Village Lot Owners:

- 271: S. Bail, OR 1355/745
- 270: M. & E. Hamons Surv. OR 404/250
- 269: B. Faw Trust OR 2055/650
- 268: G. & M. Bail DU 34/971
- 267, Vac. Alley & N. 1/2 266: J. Oney OR 822/522
- 265 & S. 1/2 266: T. & M. Simons OR 1781/172
- N. Pt. 243 & N. Pt. 264: Village of Shiloh DV 460/338
- S. Pt. 243 & S. Pt. 264: V. Haymond OR 2069/747
- 242: A. Haymond OR 2076/05



NEW SURVEY
 OF EXISTING PARCEL
 RICHLAND COUNTY
 TAX MAP OFFICE

EAK 4-7-17
 INITIAL DATE
 JJ-104

The foregoing Plat of Survey was prepared for and at the request of Melvin Z. & Wilma R. Burkholder by Jacques M. Glaze Land Surveying, LLC.

I, the undersigned, hereby state the foregoing plat was prepared from an actual field survey and to the best of my knowledge is true and correct.

Jacques M. Glaze


Jacques M. Glaze
 Registered Surveyor #6817
 4187 LaRue Green Camp Road
 Marion, Ohio 43302
 Phone/Fax: 740.528.2336



Plat of Survey

Pt. NE 1/4 Section 11, T-23; R-19, Village of Shiloh, Pt. O.L. 1, Township of Cass, County of Richland, State of Ohio.

Date: Mar. 27, 2017 Scale: 1"=165' Drawn: J. Glaze



Jacques M. Glaze
Land Surveying, LLC

4187 LaRue Green Camp Road
Marion, Ohio 43302
(740) 528.2336

SURVEY DESCRIPTION

23.064 ACRES

PT. NE QUARTER SEC. 11, CASS TOWNSHIP, RICHLAND COUNTY,

PT. OUTLOT 1 VILLAGE OF SHILOH, STATE OF OHIO

Situated in the Township of Cass, County of Richland, State of Ohio, being situated in the Northeast Quarter, Section Eleven (11), of Township Twenty-three (23), Range Nineteen (19), and further situated in Outlot One (1) of the Village of Shiloh, Ohio and being more particularly bounded and described as follows:

Beginning for the same at a magnetic survey nail set over a railroad spike found at the intersection of the Centerline of Brenneman Street with the East Corporation Line of the Village of Shiloh, thence South $04^{\circ}\sim 47'\sim 27''$ West along and with the aforesaid East Corp. Line of the Village of Shiloh, passing over a rebar set at 20.00 feet, and passing through a 38" Elm Tree at approximately 1649 feet, a distance of 1656.61 feet to a rebar set in an existing property corner at the South Line of the Northeast Quarter Section 11;

Thence North $87^{\circ}\sim 59'\sim 58''$ West along and with the aforesaid South Line of the Northeast Quarter Section 11, a distance of 788.85 feet to a rebar set at the base of a Locust Timber Post found in an existing property corner;

Thence North $16^{\circ}\sim 54'\sim 24''$ West along and with an existing property line, a distance of 345.87 feet to an iron pipe found on the southwest side of a 32" Willow Tree at a Locust Timber Post;

Thence North $31^{\circ}\sim 30'\sim 25''$ East along and with an existing property line, a distance of 166.39 feet to a rebar set on the Northeast side of a Locust Timber Post found at an existing property corner;

Thence North $58^{\circ}\sim 42'\sim 08''$ West along and with an existing property line, a distance of 66.00 feet to an iron pipe found at the Southeast Corner of an Existing 15 feet wide alley;

Thence North $32^{\circ}\sim 09'\sim 21''$ East along and with the Easterly line of the aforementioned 15 feet wide alley, a distance of 448.08 feet to a rebar set at the Northeast Corner of said alley;

Survey Description 23.064 Acres (continued):

Thence North 58°~42'~08" West along and with the Northerly line of the aforesaid 15 feet wide alley, a distance of 12.58 feet to an iron pin found at the Southeast Corner of an existing 0.701 acre tract;

Thence North 31°~04'~44" East along and with an existing property line, a distance of 160.00 feet to an iron pipe found in an existing property corner;

Thence South 57°~48'~27" East along and with an existing property line, a distance of 280.97 feet to an iron pipe found in an existing property corner;

Thence North 06°~22'~49" East along and with an existing property line, a distance of 414.37 feet to a rebar set on the Northeast side of an existing Locust Timber Post found at an existing property corner;

Thence North 60°~14'~30" West along and with an existing property line, a distance of 80.00 feet to an iron pipe found in an existing property corner;

Thence North 31°~44'~15" East along and with an existing property line, a distance of 109.84 feet to an iron pipe found in an existing property corner;

Thence South 85°~51'~50" East along and with an existing property line, a distance of 284.42 feet to an iron pipe found in an existing property corner;

Thence North 04°~45'~44" East along and with an existing property line, passing over a rebar set at 207.45 feet, a distance of 227.45 feet to a magnetic survey spike set in the aforesaid Centerline of Brennaman Street;

Thence South 85°~51'~50" East along and with the aforesaid Centerline of Brennaman Street, a distance of 112.00 feet to the Place of Beginning.

The foregoing description contains 23.064 Acres of land more or less and is subject to legal highways, easements, and restrictions of record.

All points designated "rebar set" have a 5/8 inch diameter epoxy coated rebar in place with a yellow plastic cap bearing the inscription "Jacques Glaze 6817".

Survey Description 23.064 Acres (continued):

The foregoing description was prepared from an actual field survey completed on March 12th, 2017 by Jacques M. Glaze, Registered Surveyor #6817, and field assistant Jason R. Vaughn

Bearing reference, being the Centerline of Brennaman Street, was taken from Deed Volume 856; Page 233, on file in the Richland County Recorder's Office, as shown on the accompanying Plat of Survey dated March 27th, 2017, and prepared by Jacques M. Glaze Land Surveying, LLC.

Prior Deed Reference: Official Record Volume 2386; Page 221 on file in the Richland County Recorder's Office.

NEW SURVEY
OF EXISTING PARCEL
RICHLAND COUNTY
TAX MAP OFFICE

EAK 4-7-17
INITIAL DATE
JJ-104

