

0-364

PLAT OF PROPERTY SURVEY FOR


GLADYS P. MYERS

PART OF THE NE QUARTER OF SECTION ELEVEN (11)
TOWNSHIP TWENTY-TWO (22), RANGE NINETEEN (19)
JACKSON TOWNSHIP, RICHLAND COUNTY, OHIO



BASIS OF BEARINGS
BEARINGS ARE BASED ON AN ASSUMED
MERIDIAN AND ARE USED TO EXPRESS
ANGLES ONLY.

ASHLAND - SHELBY ROAD (S.R. 96)



G.P. MYERS
ORV 414 P 361
75.45 ACRES

C. BAKER
ORV 704 P 442
36.66 ACRES

NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE

INITIAL EA DATE 11-15-01

Approved 11-5-01
Craig A. S.
Jackson Twp Zoning Insp.


S LINE, NE 1/4, SEC 11

LEGEND

- 5/8" DIA. X 30" LONG REBAR SET WITH PLASTIC CAP STAMPED "VILLAGE ENGINEERING"
- ◇ RAILROAD SPIKE FOUND

CERTIFICATION: I HEREBY CERTIFY THAT THE
FOREGOING SURVEY WAS PREPARED FROM ACTUAL
FIELD MEASUREMENTS IN ACCORDANCE WITH CHAPTER
4733-37, OHIO ADMINISTRATIVE CODE.
PREPARED BY

VILLAGE ENGINEERING, LTD.



Gary E. Weigler

GARY E. WEIGLER
OHIO REGISTERED SURVEYOR NO. 7747
DATE: OCTOBER 22, 2001

0-364

VILLAGE ENGINEERING, LTD.

3954 INDUSTRIAL PARKWAY
SHELBY, OHIO 44875
PHONE: (419) 342-2811
FAX: (419) 342-6344
E-mail: Village@Richnet.Net

PRES.-BRUCE W. BERDANIER, PE, PS

V. PRES.-JOHN C. MEDLEY
01042

DESCRIPTION OF A 3.4190 ACRE PARCEL
GLADYS P. MYERS

Situated in the State of Ohio, County of Richland, Township of Jackson, and being part of the Northeast quarter of section eleven (11), Township twenty-two (22), Range nineteen (19) and being a 3.4190 acre parcel out of a 75.45 acre parcel as conveyed to Gladys P. Myers as recorded in the Richland County Recorder's Records, and being more particularly described as follows:

Commencing at a railroad spike found at the intersection of the south line of the northeast quarter of section eleven (11) and the centerline of Laser Road (T.H. 210)

Thence North 02°47'01" West 1135.49 feet with the centerline of Laser Road (T.H. 210) to a point referenced by a rebar set S 89°57'34" W, 31.26 feet, said point being the **POINT OF BEGINNING** for the parcel herein described;

Thence with the following four (4) courses:

1. South 89°57'34" West, 307.31 feet to a rebar set, passing through a said rebar set for reference at 31.26 feet;
2. North 05°30'09" West, 451.62 feet, to a rebar set;
3. North 83°50'41" East, 329.35 feet to a point in the centerline of said Laser road, passing through a rebar set for reference at 298.14 feet
4. South 02°47'01" East, 485.21 feet with the centerline of said Laser Road, to the point of beginning, containing 3.4190 acres of land more or less and subject to all legal easement, restrictions, and public rights-of-way now on record.

All rebars are 5/8 inch diameter X 30-inch long rebar with plastic cap stamped "Village Engineering".

Bearings are based on an assumed meridian and are used to express angles only.

I hereby certify that this description is based upon an actual field survey made by Village Engineering, Ltd. Under the direction and supervision of Gary E. Weigler, Registered Surveyor No. 7747, and all monumentation was set or found as indicated.

Prior Deed Reference: Official Record Volume 414, Page 361.

Prepared by:
Village Engineering, Ltd.

Gary E. Weigler

Gary E. Weigler
Registered Surveyor No. 7747
Dated August 20, 2001



NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE
FAX INITIAL 11-15-01
DATE

0-364

0-364