

# RAMSEY SURVEYING

Professional Land Surveying Services

283 Eby Road Shiloh, Ohio 44878 TEL (419) 512-2596 FAX (419) 522-0399 EMAIL nramsey@ramsey-surveying.com

#### LEGAL DESCRIPTION

### PARCEL "A"

October 1, 2022

Situated in the Township of Troy, County of Richland, State of Ohio, and being a part of the Southwest Quarter of Section 5, Township 20-North, Range 19-West and being a portion of a parcel conveyed to Craig White and Judy White by official record volume 2996, page 2401 of the Richland County Recorder's records and being more particularly described as follows:

Beginning for the same at a point being the southwest corner of said Quarter and being on the centerline of State Route 314-(variable R/W), said point also being referenced by a right of way monument found South 88 degrees 32 minutes 09 seconds East, 30.00 feet therefrom;

Thence, the following FOUR courses:

- 1. North 01 degree 00 minutes 34 seconds West, 541.25 feet along the west line of said Ouarter to a point being the southwest corner of a parcel conveyed to Craig A. and Judy L. White by official record volume 2452, page 631;
- 2. South 88 degrees 11 minutes 05 seconds East, 801.88 feet along the south line of said White parcel and the easterly prolongation thereof to an iron pin set on the west line of a parcel conveyed to Antoine S. Munther and Barbara A. Munther by official record volume 2659, page 573, passing through an iron pin found for reference at 33.41 feet;
- 3. South 00 degrees 50 minutes 00 seconds East, 536.26 feet along said west line of said Munther parcel to an iron pin set in the southwest corner thereof, on the south line of aforementioned Quarter;
- 4. North 88 degrees 32 minutes 09 seconds West, 800.00 feet along the south line of said Quarter to the **Place of Beginning**, containing 9.8961 acres, more or less, and subject to all legal highways, easements, leases, and use restrictions of record.

Bearings are to an assumed meridian and are used to express angles only.

Iron pins set are 5/8" rebar with plastic cap stamped "Ramsey-S-8396"

According to a survey made October 2022 by Nathaniel B. Ramsey, Ohio Registered Professional Surveyor No. 8396.

Nathaniel B. Ramsey

Professional Surveyor No. 8396

For Ramsey Surveying SM-5762\_LEGAL\_Parcel A.docx

**NFW SPLIT** RICHLAND COUNTY TAX MAP OFFICE EAK 11-1-22

INITIAL & DATE

## RAMSEY SURVEYING

**Professional Land Surveying Services** 

283 Eby Road Shiloh, Ohio 44878 TEL (419) 512-2596 FAX (419) 522-0399 EMAIL nramsey@ramsey-surveying.com

### **LEGAL DESCRIPTION**

### PARCEL "B"

October 1, 2022

**Situated** in the Township of Troy, County of Richland, State of Ohio, and being a part of the Southwest Quarter of Section 5, Township 20-North, Range 19-West and being a parcel conveyed to Craig White aka Craig A. White and Judy White aka Judy L. White by official record volume 2452, page 631 and official record volume 2996, page 2401 of the Richland County Recorder's records and being more particularly described as follows:

**Commencing** at a point being the southwest corner of said Quarter and being on the centerline of State Route 314-(variable R/W), said point also being referenced by a right of way monument found South 88 degrees 32 minutes 09 seconds East, 30.00 feet therefrom;

Thence, North 01 degree 00 minutes 34 seconds West, 541.25 feet along the west line of said Quarter to a point being the southwest corner of said parcel conveyed to Craig A. and Judy L. White by official record volume 2452, page 631, being the Place of Beginning for the parcel herein described:

Thence, the following FOUR courses:

- 1. **North 01 degree 00 minutes 34 seconds West, 447.33 feet** continuing along the west line of said Quarter to a point being the southwest corner of a parcel conveyed to Barbara R. Haefeli by deed volume 883, page 262;
- 2. **South 88 degrees 16 minutes 21 seconds East, 803.20 feet** along the south line of said Haefeli parcel and the south line of a parcel conveyed to James M. Ciroli and Angela N. Ciroli by official record volume 2749, page 823 to an iron pin found in the northwest corner of a parcel conveyed to Antoine S. Munther and Barbara A. Munther by official record volume 2659, page 573, and passing through an iron pipe found for reference at 24.63 feet;
- 3. South 00 degrees 50 minutes 00 seconds East, 448.50 feet along the west line of said Munther parcel to an iron pin set;
- 4. North 88 degrees 11 minutes 05 seconds West, 801.88 feet to the Place of Beginning, passing through an iron pin found for reference at 768.47 feet, containing 8.2432 acres, more or less, and subject to all legal highways, easements, leases, and use restrictions of record.

Bearings are to an assumed meridian and are used to express angles only.

Iron pins set are 5/8" rebar with plastic cap stamped "Ramsey-S-8396"

According to a survey made October 2022 by Nathaniel B. Ramsey, Ohio Registered Professional Surveyor No. 8396.

Nathaniel B. Ramsey

Professional Surveyor No. 8396

For Ramsey Surveying

SM-5762\_LEGAL\_Parcel B.docx

