

RAMSEY SURVEYING

Professional Land Surveying Services

283 Eby Road Shiloh, Ohio 44878 TEL (419) 512-2596 FAX (419) 522-0399 EMAIL nramsey@ramsey-surveying.com

NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE
EAK 8-29-24
INITIAL & DATE

QQ-238

LEGAL DESCRIPTION

PARCEL "A"

PART NE & SE 1/4 SECTION 13 CASS TOWNSHIP RICHLAND COUNTY, OHIO NEW SURVEY
OF EXISTING PARCEL
RICHLAND COUNTY
TAX MAP OFFICE

EAK 8-29-24

INITIAL & DATE

August 26, 2024

Situated in the Township of Cass, County of Richland, State of Ohio and being a part of the Southeast Quarter of Section 13, Township 23 North, Range 19 West, being a parcel conveyed to Lester Z. Newswanger and Naomi M. Newswanger, Trustees or their successors in trust, under The Lester Z. Newswanger and Naomi M. Newswanger Living Trust, dated September 29, 2009 by official record volume 1957, page 345 and being more particularly described as follows:

Commencing at a stone found and accepted as marking the southwest corner of said Northeast Quarter;

Thence, North 89 degrees 20 minutes 56 seconds East, 1661.37 feet along the south line of said quarter to an iron pin found in the southeast corner of a parcel conveyed to Lester Z. Newswanger and Naomi M. Newswanger by official record volume 2317, page 212, being the **Place of Beginning** for the parcel herein described;

Thence, the following FIVE courses:

- 1. North 00 degrees 46 minutes 28 seconds West, 499.53 feet along an east line of said parcel to a railroad spike found in and existing interior corner thereof, also being on the centerline of State Route 603;
- 2. South 55 degrees 15 minutes 27 seconds East, 625.92 feet along said centerline to a railroad spike found;
- 3. South 00 degrees 45 minutes 34 seconds East, 246.34 feet to an iron pin set;
- 4. **South 89 degrees 20 minutes 56 seconds West, 508.78 feet** to an iron pin set on the east line of a parcel conveyed to Ernest S. Witmer and Wilma H. Witmer by official record volume 3011, page 2172;
- 5. North 01 degree 05 minutes 55 seconds West, 109.34 feet along said east line of said Witmer parcel to the Place of Beginning, containing a total of 5.0001 acres, more or less, of which 3.7223 acres are located within said Northeast Quarter and 1.2778 acres are located within said Southeast Quarter, and subject to all legal highways and easements of record.

Bearings are to an assumed meridian and are used to express angles only.

Iron pins set are 5/8" rebar with I.D. cap stamped "Ramsey S-8396"

According to a survey made August 2024 by Nathaniel B. Ramsey, Ohio Registered Professional Surveyor No. 8396.

Nathaniel B. Ramsey
Professional Surveyor No. 8396

For Ramsey Surveying SM-6028_Parcel A.docx



RAMSEY SURVEYING

Professional Land Surveying Services

283 Eby Road Shiloh, Ohio 44878 TEL (419) 512-2596 FAX (419) 522-0399 EMAIL nramsey@ramsey-surveying.com

LEGAL DESCRIPTION

PARCEL "B"

PART NE 1/4 SECTION 13 CASS TOWNSHIP RICHLAND COUNTY, OHIO

August 26, 2024

Situated in the Township of Cass, County of Richland, State of Ohio and being a part of the Northeast Quarter of Section 13, Township 23 North, Range 19 West, being part of a parcel conveyed to Lester Z. Newswanger and Naomi M. Newswanger by official record volume 2317, page 212 and being more particularly described as follows:

Commencing at a stone found and accepted as marking the southwest corner of said Quarter;

Thence, North 89 degrees 20 minutes 56 seconds East, 1319.54 feet along the south line of said quarter to an iron pin found in the southeast corner of a parcel conveyed to Galen B. and Jennifer Z. Newswanger by official record volume 2641, page 555, being the Place of Beginning for the parcel herein described;

Thence, the following FOUR courses:

- 1. North 02 degrees 09 minutes 20 seconds West, 756.00 feet along the east line of said Galen B. and Jennifer Z. Newswanger parcel to a railroad spike found in the northeast corner thereof, also being on the centerline of State Route 603, and passing through an iron pin found for reference at 725.04 feet;
- 2. **South 55 degrees 15 minutes 27 seconds East, 442.36 feet** along said centerline to a railroad spike found in a northwest corner of a parcel conveyed to Lester Z. Newswanger and Naomi M. Newswanger, Trustees or their successors in trust, under The Lester Z. Newswanger and Naomi M. Newswanger Living Trust, dated September 29, 2009 by official record volume 1957, page 345;
- 3. **South 00 degrees 46 minutes 28 seconds East, 499.53 feet** along a west line of said Newswanger Trust parcel to an iron pin found on the south line of said Quarter, also being in a northeast corner of a parcel conveyed to Ernest S. Witmer and Wilma H. Witmer by official record volume 3011, page 2172;
- 4. South 89 degrees 20 minutes 56 seconds West, 341.83 feet along the south line of said Quarter, the north line of said Witmer parcel, to the Place of Beginning, containing 5.0297 acres, more or less, and subject to all legal highways and easements of record.

Bearings are to an assumed meridian and are used to express angles only.

According to a survey made August 2024 by Nathaniel B. Ramsey, Ohio Registered Professional Surveyor No. 8396.

WINDERSON OF THE PROPERTY OF T

Nathaniel B. Ramsey

Professional Surveyor No. 8396

For Ramsey Surveying SM-6028_Parcel B.docx

NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE

EAK 8-29-24

INITIAL & DATE

QQ-238