



NORTHWEST QUARTER
SECTION 2 T-20 R-18
WASHINGTON TOWNSHIP
RICHLAND COUNTY, OHIO



BASIS OF BEARINGS:
ASSUMED




* 3 splits do NOT constitute principal building site. Separately



APPROVED

This is to certify that the attached survey meets the * Road Frontage Requirement.


Steven H. Riedel
Zoning Inspector
Washington Township
8-9-2004
DATE



Steven H. Riedel
STEVEN H. RIEDEL
OHIO SURVEYOR 7016
JULY 21, 2004
RWA2NWA

- LEGEND:
- - 5/8 INCH REBAR W/CAP STAMPED "PS 7016" SET
 - - EXISTING IRON PIN
 - ▲ - EXISTING SURVEY NAIL





Riedel Land Surveying Company

712 N. Henry St.
Crestline, Ohio 44827

Phone (419) 683-1951

July 27, 2004

Harris to Crowley (0.72 acres)
rwa2nwb

Situated in the Township of Washington, County of Richland, State of Ohio and being part of the Northwest quarter of Section 2, Township 20, Range 18, and being more fully described as follows:

Commencing at an existing survey nail at the intersection of the West line of Section 2 with the centerline of Township Highway 316 (Hull Road, also being the North line of Section 2);

thence running South 00 deg. 01 min. 14 sec. East along the West line of Section 2 (passing an existing iron pin at 20.57 feet) for a total distance of 230.00 feet to a 5/8 inch rebar set;

thence turning and running South 89 deg. 37 min. 30 sec. East for 100.00 feet to the place of beginning (a 5/8 inch rebar set North 00 deg. 01 min. 14 sec. West and 2.00 feet from this point);

thence continuing South 89 deg. 37 min. 30 sec. East for 200.00 feet to a 5/8 inch rebar set;

thence turning and running South 00 deg. 01 min. 14 sec. East for 120.00 feet to a 5/8 inch rebar set;

thence turning and running South 70 deg. 14 min. 58 sec. West for 212.47 feet to a 5/8 inch rebar set;

thence turning and running North 00 deg. 01 min. 14 sec. West for 193.11 feet to the place of beginning.


All 5/8 inch rebars set have a plastic cap stamped "PS 7016".

The grantees, their heirs and assigns do hereby covenant and agree that the parcel of land ~~described in this instrument or any portion thereof does not constitute a principal building site under applicable zoning and will not be conveyed by said grantee, heirs and assigns, independent from any adjoining or contiguous parcel.~~

The above described parcel has a calculated area of 0.72 acres of land according to a survey made on July 21, 2004 by Steven H. Riedel, Ohio surveyor 7016.

Prior Deed: ORV 58 page 694

Basis of Bearings: Assumed



APPROVED

NEW SPLIT

RICHLAND COUNTY

TAX MAP OFFICE

This is to certify that the attached ~~survey~~ meets the ~~zoning~~ Road Frontage Requirement.


MWB
INITIAL

8-18-04
DATE

J. M. Crowley
Zoning Inspector

8-9-2004
DATE

Washington Township



Riedel Land Surveying Company

712 N. Henry St.
Crestline, Ohio 44827

Phone (419) 683-1951

July 27, 2004

Harris to Reger (0.49 acres)

rwa2nwc

Situated in the Township of Washington, County of Richland, State of Ohio and being part of the Northwest quarter of Section 2, Township 20, Range 18, and being more fully described as follows:

Commencing at an existing survey nail at the intersection of the West line of Section 2 with the centerline of Township Highway 316 (Hull Road, also being the North line of Section 2);
thence running South 00 deg. 01 min. 14 sec. East along the West line of Section 2 (passing an existing iron pin at 20.57 feet) for a total distance of 230.00 feet to a 5/8 inch rebar set and the place of beginning;
thence turning and running South 89 deg. 37 min. 30 sec. East for 100.00 feet (a 5/8 inch rebar set North 00 deg. 01 min. 14 sec. West and 2.00 feet from this point);
thence turning and running South 00 deg. 01 min. 14 sec. East for 193.11 feet to a 5/8 inch rebar set;
thence turning and running South 70 deg. 14 min. 58 sec. West for 106.23 feet to an existing iron pin on the West line of Section 2;
thence turning and running North 00 deg. 01 min. 14 sec. West along said West line for 229.66 feet to the place of beginning.

All 5/8 inch rebars set have a plastic cap stamped "PS 7016".
The grantees, their heirs and assigns do hereby covenant and agree that the parcel of land described in this instrument or any portion thereof does not constitute a principal building site under applicable zoning and will not be conveyed by said grantee, heirs and assigns, independent from any adjoining or contiguous parcel.

The above described parcel has a calculated area of 0.49 acres of land according to a survey made on July 21, 2004 by Steven H. Riedel, Ohio surveyor 7016.

Prior Deed: ORV 58 page 694
Basis of Bearings: Assumed

NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE
Mub 8-12-04
INITIAL DATE

APPROVED


This is to certify that the attached * Road Frontage Requirement meets the * Road Frontage Requirement

[Signature]
Zoning Inspector

8-9-2004
DATE

Washington Township

T-221



Riedel Land Surveying Company

712 N. Henry St.
Crestline, Ohio 44827

Phone (419) 683-1951

July 27, 2004

Reger to Crowley (1.056 acres)
rwa2nwa

Situated in the Township of Washington, County of Richland, State of Ohio and being part of the Northwest quarter of Section 2, Township 20, Range 18, and being more fully described as follows:

Commencing at an existing survey nail at the intersection of the West line of Section 2 with the centerline of Township Highway 316 (Hull Road, also being the North line of Section 2) an existing iron pin being South 00 deg. 01 min. 14 sec. East and 20.57 feet from this point;

thence running South 89 deg. 37 min. 30 sec. East along the centerline of Township Highway 316 for 100.00 feet to the place of beginning (a 5/8 inch rebar set South 00 deg. 01 min. 14 sec. East and 25.00 feet);

thence continuing South 89 deg. 37 min. 30 sec. East along said centerline for 200.00 feet;

thence turning and running South 00 deg. 01 min. 14 sec. East (passing a 5/8 inch rebar set at 25.00 feet) for a total distance of 230.00 feet to a 5/8 inch rebar set;

thence turning and running North 89 deg. 37 min. 30 sec. West for 200.00 feet;

thence turning and running North 00 deg. 01 min. 14 sec. West (passing 5/8 inch rebars set at 2.00 feet and 205.00 feet) for a total distance of 230.00 feet to the place of beginning.

All 5/8 inch rebars set have a plastic cap stamped "PS 7016".

The above described parcel has a calculated area of 1.056 acres of land according to a survey made on July 21, 2004 by Steven H. Riedel, Ohio surveyor 7016.

Prior Deed: ORV 184 page 553
Basis of Bearings: Assumed

** Land Split Not Building Site.*
ADDRESS ASSIGNED.


~~PREVIOUS ADDRESS~~
~~PREVIOUS ADDRESS~~

J. R. Riedel
WASHINGTON TOWNSHIP

8-9-2004

NEW SPLIT
RICHLAND COUNTY
TAX MAP OFFICE

INITIAL *MRB* DATE *8-12-04*



APPROVED

This is to certify that the attached meets the Road Frontage Requirement.

J. R. Riedel
Zoning Inspector Washington Township

8-9-2004

DATE